

LARGE SCREEN DIGITAL ADVERTISING SOLUTION



**BRINGING
CHANGE
THROUGH
INNOVATION**

AVAILABLE IN
WINDOWS AND
ANDROID
PLATFORM



ULTRA THIN DESIGN REMOTE MANAGEMENT PLATFORM CUSTOM MADE APPLICATION

Large interactive digital signage / information kiosks contributes to convert advertising to sales and provide valued customer services. Standard solutions inform and entertain customers, reduce perceived wait-time, increase traffic and repeat visits; increasing sales potential and the customer experience.

The contemporary design complements the large portrait LCD, providing a sophisticated digital showcase for products, events, advertising, and more. Application options can be deployed in places where common people can interact with it at their own convenience.

The ZLK series offers a diverse range of such products with varied size and feature.



ZIKL-1055

Display Size: 55" LED
Max resolution: 1920*1080
Brightness: 360cd/m2 nits
Ratio: 1400:1
Response time: 8ms
Viewing area: 1209.6mm*680.4mm
Viewing angle: 178°(H)/ 178°(V)
Life time: 30000hrs.
Max consumption: ≤130W
Input & output interface: SD*1, Ethernet*1
USB2.0*2, 3G*1
Dimension: H-83" W-31" D-3"



ZIKL-2055

Display Size: 55" LED
Max resolution: 1920*1080
Brightness: 360cd/m2 nits
Ratio: 1400:1
Response time: 8ms
Viewing area: 1209.6mm*680.4mm
Viewing angle: 178°(H)/ 178°(V)
Life time: 30000hrs
Max consumption: ≤130W
Input & output interface: SD*1, Ethernet*1
USB2.0*2, 3G*1
Dimension: H-75" W-30" D-2.4"



ZIKL-3050

Display Size: 50" LED
Max resolution: 1920*1080
Brightness: 300cd/m2 nits
Ratio: 5000:1
Response time: 5ms
Viewing area: 1095.84mm*616.41mm
Viewing angle: 178°(H)/ 178°(V)
Life time: 30000hrs
Max consumption: ≤130W
Input & output interface: SD*1, Ethernet*1
USB2.0*2, 3G*1
Dimension: H-75" W-28" D-2.4"



ZIKL-4050

Display Size: 50" LED
Max resolution: 1920*1080
Brightness: 300cd/m2 nits
Ratio: 5000:1
Response time: 5ms
Viewing area: 1095.84mm*616.41mm
Viewing angle: 178°(H)/ 178°(V)
Life time: 30000hrs
Max consumption: ≤130W
Input & output interface: SD*1, Ethernet*1
USB2.0*2, 3G*1
Dimension: H-75" W-28" D-2.4"



ZIKL-5055

Display Size: 55" LED
Max resolution: 1920*1080
Brightness: 350cd/m2 nits
Ratio: 1400:1
Response time: 8ms
Viewing area: 1209.6mm*680.4mm
Viewing angle: 178°(H)/ 178°(V)
Life time: 50000hrs
Max consumption: ≤160W
Input & output interface: SD*1, Ethernet*1
USB2.0*2, 3G*1
Dimension: H-78" W-28" D-2.4"



ZIKL-8055

Display Size: 55" LED
Max resolution: 1920*1080
Brightness: 350cd/m2 nits
Ratio: 1400:1
Response time: 8ms
Viewing area: 1209.6mm*680.4mm
Viewing angle: 178°(H)/ 178°(V)
Life time: 50000hrs
Max consumption: ≤190W
Input & output interface: SD*1, Ethernet*1
USB2.0*2, 3G*1
Dimension: H-66" W-31" D-3.2"



ZIKL-8040

Display Size: 40" LED
Max resolution: 1920*1080
Brightness: 330cd/m2 nits
Ratio: 1200:1
Response time: 6ms
Viewing area: 937mm*529.9(V)mm
Viewing angle: 176°(H)/ 176°(V)
Life time: 30000hrs
Max consumption: ≤130W
Input & output interface: SD*1, Ethernet*1
USB2.0*2
Dimension: H-78" W-28" D-6"

ZIKL-6055

Display Size: 55" LED
Max resolution: 1920*1080
Brightness: 350cd/m2 nits
Ratio: 1400:1
Response time: 8ms
Viewing area: 1209.6mm*680.4mm
Viewing angle: 178°(H)/ 178°(V)
Life time: 50000hrs
Max consumption: ≤190W
Input & output interface: SD*1, Ethernet*1
USB2.0*2, 3G*1
Dimension: H-46" W-51" D-24"





ZIKL-7042

Display Size: 42" LED

Max resolution: 1920*1080

Brightness: 330cd/m2 nits

Ratio: 1200:1

Response time: 6ms

Viewing area: 937mm*529.9mm

Viewing angle: 176°(H)/ 176°(V)

Life time: 30000hrs

Max consumption: ≤130W

Input & output interface: SD*1

Ethernet*1, USB2.0*2, 3G*1

Dimension: H-41" W-41" D-2"

Specifications

All these machines can have either Android or Windows operating platform and it's associated hardware.

ANDROID

OS system: Android 4.2.2

RAM: 1G, Built-in storage disk: NAND FLASH 4G

Decoding resolution: 1080P max

Play mode: cycle, insert, timing etc. play mode

Networking support: Ethernet, wifi (optional), 3G (optional)

Video format: WMV, AVI, FLV, RM, RMVB, MPEG, TS, MP4 etc

Picture format: BMP, JPEG, PNG, GIF

Audio frequency output: 10W*2

RTC : timing clock support

Timing: on & off support

OS update: USB update, net update

WINDOWS

OS system: Support winxp, win7 and win8 (Price of license not included)

CPU: Core i3 CPU, RAM: 4GB, HDD: 500GB

BRANDING

These Kiosks can be branded according to client's requirement free of charge

HARDWARE WARRANTY

Every Kiosk is warranted for a minimum of one year.



ZANALA Systems Ltd.

Level-9 (west), BDBL Bhaban, 12 Karwan Bazar, Dhaka-1215, Bangladesh
Office: +880 2 8129475, 8189361-2, Sales Hotline: +88 01955 511345
info@zanalasystems.com, www.zanalasystems.com, [f](#) /ZANALASystems

SALES HOTLINE
+880 1955511345

Certification
ISO9001:2008
Membership
BASIS

A sister concern of



ZANALA Bangladesh Ltd.